

Santiago



Styling & Refrigeration

arneg

Santiago

Lunghezza senza spalle
Length without ends
Länge ohne Seiten
Longeur sans joues
Longitud sin laterales
Длина без боковин


Temperatura di esercizio
Working temperature
Betriebstemperatur
Temp. de fonctionnement
Temperatura de trabajo
Рабочая температура

Superficie di esposizione frontale
Opening display surface
Sichtbare Ausstellfläche
Surface d'exposition frontale
Superficie de exposición frontal
Лицевая площадь экспозиции




Superficie di esposizione orizzontale
Horizontal display surface
Gesamte Ausstellfläche
Surface d'exposition horizontale
Superficie de exposición de apoyo
Горизонтальная площадь экспозиции

Capacità utile
Net volume
Nutzleistung
Capacité utile
Capacidad útil
Полезный объем





			mm	°C	m ²	m ²	dm ³
LF	085	200	1250	-1°C / +1°C	1,9	3,3	868
			1875		2,9	4,9	1302
			2500		3,9	6,5	1736
			3750		5,8	9,8	2604
			TST 1958		2,6	5,4	1428
			TST 1958		2,1	3,3	935
	216	1250	3,2		5,0	1403	
		1875	4,2		6,5	1871	
		2500	6,4		9,8	2806	
		3750	2,9		5,4	1541	
		TST 1958	1,9		4,0	1066	
		TST 1958	2,9		6,0	1599	
	095	200	1250		2,9	6,0	1599
			1875		3,9	8,0	2132
			2500		5,8	12,0	3198
			3750		2,6	5,4	1428
			TST 1958		2,9	6,0	1599
			TST 2159		2,1	4,0	1151
		216	1250		3,2	6,0	1726
			1875		4,2	8,0	2302
			2500		6,4	12,0	3453
			3750		2,9	5,4	1541
			TST 1958		3,2	6,0	1726
			TST 2159		1,9	4,1	1102
105	200	1250	2,9	6,2	1653		
		1875	3,9	8,3	2204		
		2500	5,8	12,4	3306		
		3750	2,9	6,0	1599		
		TST 2159	3,1	6,4	1706		
		TST 2284	3,3	6,9	1825		
	216	1250	3,9	8,0	2132		
		1875	2,1	4,1	1186		
		2500	3,2	6,2	1778		
		3750	4,2	8,3	2371		
		TST 2159	6,4	12,4	3557		
		TST 2284	3,2	6,0	1726		
MF	085	200	1250	-1°C / +1°C	1,8	3,3	827
			1875		2,7	4,9	1241
			2500		3,6	6,5	1655
			3750		5,4	9,8	2482
			TST 1784		2,2	4,8	1229
			TST 1958		2,4	5,4	1361
	216	1250	2,0		3,3	901	
		1875	3,0		4,9	1351	
		2500	4,0		6,5	1802	
		3750	5,9		9,8	2703	
		TST 1784	2,4		4,8	1329	
		TST 1958	2,7		5,4	1483	
	095	200	1250		1,8	4,0	1016
			1875		2,7	6,0	1525
			2500		3,6	8,0	2033
			3750		5,4	12,0	3049
			TST 2159		2,7	6,0	1525
			TST 2159		2,0	4,0	1108
		216	1250		3,0	6,0	1661
			1875		4,0	8,0	2215
			2500		6,0	12,0	3323
			3750		3,0	6,0	1661
			TST 2159		1,8	4,1	1050
			TST 2159		2,7	6,2	1575
105	200	1250	3,6	8,3	2100		
		1875	5,5	12,4	3149		
		2500	2,9	6,4	1626		
		3750	3,1	6,9	1740		
		TST 2284	3,6	8,0	2033		
		TST 2784	2,0	4,1	1143		
	216	1250	3,0	6,2	1714		
		1875	4,0	8,3	2285		
		2500	6,0	12,4	3428		
		3750	3,2	6,4	1772		
		TST 2284	3,4	6,9	1896		
		TST 2784	4,0	8,0	2215		







Testate - Head-cases - Kopfmöbeln - Meubles tête - Cabeceras - Торцевые секции






TST 1784






TST 1958






TST 2159



TST 2284



TST 2424



TST 2784

ENVIRONMENT SOLUTION



-41%


-57%

-56%

Consumo elettrico diretto
Direct electrical energy consumption
Direkter elektrischer Stromverbrauch
Consommation d'énergie directe
Consumo eléctrico directo
Прямое потребление электроэнергии

Consumo elettrico per la refrigerazione
Refrigeration electrical energy consumption
Elektrischer Stromverbrauch bei Kühlung
Consommation d'énergie pour la réfrigération
Consumo eléctrico de refrigeración
Потребление электроэнергии системой охлаждения

Consumo energia totale
Total energy consumption
Gesamter elektrischer Stromverbrauch
Consommation d'énergie totale
Consumo de energia total
Общее энергопотребление



ARNEG S.p.A.
 35010 Campo San Martino (PD) Italy - Tel. +39 049 9699333 - Fax +39 049 9699444
 Certified ISO 9001:2008 - ISO 14001:2004 - RAEE IT801000000139
www.arneg.com

